



**THINK
PACKAGING !
THINK US.**

Grace PET Strap Industries is a resourceful manufacturing company that revolutionizes the plastic sector with advanced German technology.

Contact Us

REVENUE SURVEY NO. 168/P1/P2, NR.
NANO CEMENT PIPE, LATIPAR ROAD,
Hirapar -Morbi TANKARA - 363650
Gujarat. (+91) 9377055355
strapping.export@gmail.com

www.strapping.co.in

WHO WE ARE

Grace PET Strap Industries is a pioneering force in the plastic manufacturing sector, renowned for integrating cutting-edge German technology to revolutionize the production of PET straps. With a steadfast commitment to excellence, we cater to domestic and international markets, consistently raising the bar in quality and innovation.



OUR PRODUCTS

PET STRAP

PET straps are UV resistant, ensuring that they can withstand prolonged exposure to sunlight without degrading. This makes them perfect for outdoor applications, where durability under environmental stress is key.

POLYPROPYLENE STRAP

At Grace PET Strap Industries, we specialize in manufacturing PP (Polypropylene) Straps, offering a reliable, cost-effective solution for various packaging needs.

MASTERBATCH

Our knowledge and experience from many years of producing color and additive masterbatch has been put to optimal use in our combined masterbatch products. The result is a multitude of ready-made formulas featuring the following advantages in comparison with individual products.

**We have
developed
extreme German
technology
Extrusion line**



Our advanced machinery and rigorous quality standards have enabled us to redefine industry benchmarks, offering products that meet the evolving demands of our global clientele. Our speciality in PET straps is backed by years of research and development, enabling us to create products that are not only durable and reliable but also environmentally responsible.

Our Technology

1. We harness advanced German Technology to set new standards for precision and productivity to drive innovation and efficiency in our manufacturing processes.
2. 15 years of industry experience, we bring a wealth of knowledge and expertise to every project.
3. Providing top-tier quality and superior performance in every aspect of our services. Our commitment to excellent quality sets us apart.
4. We deliver worldwide efficient solutions and collaboration across international markets as well as importing our raw materials from countries like the USA, Europe, etc.


Vision

Our vision is to be the global leader in PET strap manufacturing by continuously innovating and leveraging advanced technology while maintaining a strong commitment to sustainability and customer satisfaction.

Mission

Our mission is to provide superior PET strapping solutions through the use of cutting-edge technology and rigorous quality control. We are dedicated to meeting the diverse needs of our customers by offering customizable products, fast delivery, and exceptional service. Through innovation and a commitment to sustainability, we strive to reduce our environmental impact and contribute to a greener future.





PET Strap

At Grace PET Strap Industries, we pride ourselves on manufacturing PET straps with unparalleled strength and durability. One of the standout features of our PET straps is their UV resistance, ensuring that they can withstand prolonged exposure to sunlight.



our straps are flexible and lightweight, allowing for ease of handling without sacrificing strength. The minimal stretch in the material ensures that it holds its shape and tension over time, providing long-term reliability for your packaging needs.

Grace PET straps are also designed with enhanced safety in mind. Unlike metal straps, they are safe to use, eliminating the risks of cuts, abrasions, or injuries during application.

TECHNICAL PARAMETERS

PRODUCT CODE	WIDTH (MM) (+/- 0.5MM)	THICKNESS (MM) (+/- 0.5MM)	LENGTH AVERAGE / METERAGE (+/-5%) (20 KG IN METER)		AVERGAE BREAKING STRENGTH (+/-5% KGS) KGF	
			SMOOTH	EMBOSSSED	SMOOTH	EMBOSSSED
GI-090055	9	0.55	3108	3181	180	176
GI-093065	9.3	0.65	2545	2605	220	215
GI-105070	10.5	10.5	2093	2143	268	261
GI-120060	12	0.6	2137	2187	262	256
GI-120070	12	0.7	1832	1875	306	299
GI-120080	12	0.8	1603	1640	349	341
GI-150070	15	0.7	1465	1500	382	373
GI-150075	15	0.75	1368	1400	439	429
GI-150080	15	0.8	1282	1312	468	457
GI-155076	15.5	0.76	1306	1337	459	449
GI-155080	15.5	0.8	1241	1270	484	472
GI-155090	15.5	0.9	1103	1129	544	531
GI-160069	16	0.69	1394	1426	431	421
GI-160080	16	0.8	1202	1230	499	488
GI-160090	16	0.9	1068	1094	562	549
GI-160100	16	1	962	984	624	610
GI-190080	19	0.8	1012	1036	593	579
GI-190100	19	1	810	829	741	724
GI-190127	19	1.27	638	653	941	919
GI-250100	25	1	615	630	975	950
GI-250127	25	1.27	485	496	1238	1210
GI-320127	32	1.27	379	388	1585	1548

Contact Us



(+91) 9377055355



strapping.export@gmail.com



www.strapping.co.in



REVENUE SURVEY NO.
168/P1/P2, NR. NANO
CEMENT PIPE, TANKARA-
LATIPAR -363650





PP Strap

At Grace PET Strap Industries, we specialize in manufacturing PP (Polypropylene) Straps, offering a reliable, cost-effective solution for various packaging needs. Known for their lightweight structure and high strength-to-weight ratio,



One of the key advantages of PP straps is their flexibility and ease of use, allowing for quick and efficient application with a variety of packaging tools. Unlike metal strapping PP straps are non-corrosive and do not rust, ensuring they remain in excellent condition even in humid or harsh environments. This makes them perfect for applications where resistance to moisture and chemical resistance are crucial.

FULLY AUTOMATIC POLYPROPYLENE STRAPPING

CODE/PLAIN PRINTED	547	560	660	840	860	960	960	970	1170	1110	1260	1270	1560	1570	1580	1590	1590	1880
Width (-0.0 to -0.06mm)	5	5	6	8	8	9	9	9	11	11	12	12	15	15	15	15	15	18
Thickness (-0.0 to 0.06mm)	0.47	0.6	0.6	0.4	0.6	0.6	0.6	0.7	0.7	1	0.6	0.7	0.6	0.7	0.8	0.9	0.9	0.8
Length Meters	7000	3000	3000	2000	2000	2000	3000	2000	2000	1000	2000	2000	1500	1000	1000	1000	1500	1500
T/Strrenth in Kg.	38	38	48	58	78	88	88	98	118	168	118	128	138	158	168	178	178	188

SEMI AUTOMATIC POLYPROPYLENE STRAPPING

Code Plain / Printed	550	650	560	850	860	950	960	1140	1150	1160	1170	1240	1250	1260	1270	1280	1550	1560	1950	1980
Width (-0.0 to -0.06mm)	5	5	5	8	8	9	9	11	11	11	11	12	12	12	12	12	15	15	19	19
Thickness (-0.0 to 0.06mm)	0.5	0.5	0.6	0.5	0.6	0.5	0.6	0.4	0.5	0.6	0.7	0.4	0.5	0.6	0.7	0.8	0.5	0.6	0.5	0.8
Length Meters	2000	2000	3000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	1000	1000	1000	1000
T/Strrenth in Kg.	20	30	40	50	60	70	80	70	80	90	110	80	90	110	120	140	130	140	160	190

Contact Us



(+91) 9377055355



strapping.export@gmail.com



www.strapping.co.in



REVENUE SURVEY NO.
168/P1/P2, NR. NANO
CEMENT PIPE, TANKARA-
LATIPAR -363650





Masterbatch

We offer an extensive range of white and black masterbatches for a whole spectrum of applications. Such applications range from pipes, cables, packaging films to the injection molding of electronic parts, where high levels of gloss properties



and excellent dispersion are required. In addition to the standard programme of white and black, we can satisfy customer-specific requirements for instances, applications with special carrier polymers or the integration of other additives. Our experience in the production of color masterbatches is reflected in an outstanding way by our comprehensive library of color and polymer combinations.



Contact Us



(+91) 9377055355



strapping.export@gmail.com



www.strapping.co.in



REVENUE SURVEY NO.
168/P1/P2, NR. NANO
CEMENT PIPE, TANKARA-
LATIPAR -363650

